

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
|---|------------------|----------------------|---------------------|------------------|--|
| 10/791,544 | 03/03/2004 | Song-yean Cho | Q79871 | 3298 | |
| 23373 7590 08/02/2007 SUGHRUE MION, PLLC | | | EXAMINER | | |
| 2100 PENNSY | LVANIA AVENUE, N | .W. | BOKHARI, SYED M | | |
| SUITE 800 WASHINGTON, DC 20037 | | | ART UNIT | PAPER NUMBER | |
| | · | | 2609 | | |
| | | | | | |
| | | | MAIL DATE | DELIVERY MODE | |
| | | | 08/02/2007 | PAPER | |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | Application No. | Applicant(s) | | | |
|--|---|--|--|---|--|--|
| | • | 10/791,544 | CHO ET AL. | • | | |
| Office Action Summary | | Examiner | Art Unit | | | |
| | | Syed Bokhari | 2609 | • | | |
| Davidad fo | The MAILING DATE of this communication app | ears on the cover sheet with t | he correspondence address | | | |
| Period fo | | · | TU(C) OD TUIDTY (20) DAVC | | | |
| WHIC - Exte after - If NC - Failu Any | ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANS noisons of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply will apply and will expire SIX (6) MONTHS, cause the application to become ABANI | FION. be timely filed from the mailing date of this communication. FOONED (35 U.S.C. § 133). | | | |
| Status | | | | | | |
| 1)🖂 | Responsive to communication(s) filed on <u>03 M</u> | arch 2004. | | | | |
| 2a)□ | This action is FINAL . 2b)⊠ This action is non-final. | | | | | |
| 3)[| ··· | | | | | |
| | closed in accordance with the practice under E | Ex parte Quayle, 1935 C.D. 1 | 1, 453 O.G. 213. | | | |
| Disposit | ion of Claims | | | | | |
| 4)🖂 | Claim(s) 1-27 is/are pending in the application. | | | | | |
| | 4a) Of the above claim(s) is/are withdraw | | | | | |
| 5) | Claim(s) is/are allowed. | | | | | |
| 6)[| Claim(s) <u>1-13,15,17-21,25 and 26</u> is/are reject | ed. | | | | |
| 7) | · / , | | | | | |
| 8) | Claim(s) are subject to restriction and/o | r election requirement. | | | | |
| Applicat | ion Papers | | | | | |
| 9)[] | The specification is objected to by the Examine | er. | • | | | |
| • | The drawing(s) filed on is/are: a) acc | | the Examiner. | | | |
| | Applicant may not request that any objection to the | drawing(s) be held in abeyance. | See 37 CFR 1.85(a). | • | | |
| _ | Replacement drawing sheet(s) including the correct | | | | | |
| 11) | The oath or declaration is objected to by the Ex | caminer. Note the attached O | ffice Action or form PTO-152. | | | |
| Priority | under 35 U.S.C. § 119 | • | · | | | |
| • - | Acknowledgment is made of a claim for foreign ☐ All b)☐ Some * c)☐ None of: | priority under 35 U.S.C. § 1 | 19(a)-(d) or (f). | | | |
| | 1.⊠ Certified copies of the priority document | s have been received. | | | | |
| | 2. Certified copies of the priority document | s have been received in App | lication No | | | |
| | 3. Copies of the certified copies of the prio | rity documents have been re | ceived in this National Stage | | | |
| | application from the International Burea | | | | | |
| * ! | See the attached detailed Office action for a list | of the certified copies not rec | ceived. | | | |
| | | • | | | | |
| | | | | | | |
| Attachme | nt(s) | | | | | |
| | ce of References Cited (PTO-892) | | mary (PTO-413) lail Date | | | |
| | ce of Draftsperson's Patent Drawing Review (PTO-948) rmation Disclosure Statement(s) (PTO/SB/08) | 5) Notice of Infor | mal Patent Application | | | |
| | er No(s)/Mail Date <u>04/06/2006</u> . | 6) Other: | | | | |

Art Unit: 2609

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35
 U.S.C. 102 that form the basis for the rejections under this section made in this
 Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- Claims 1-4, 6-9, 11-13, 15-17, 19-21 and 25 are rejected under 35
 U.S.C. 102(e) as being anticipated by Rhee (US 2003/0099221 A1).

For claim 1 Rhee discloses a system for reliably broadcasting a data packet under an ad-hoc network environment, the system comprising (see paragraph 0007 lines 1-4 on page 1 in Summary); a comparing unit operable to compare (see paragraph 0067 lines 1-7 on page 5 in Description); a first relay node sequence number with a second relay node sequence number (see paragraph 0009 lines 1-7 on page 1 in Summary); the first relay node sequence number being contained in a management packet transmitted by at least one node receiving the data packet (see paragraph 0049 lines 1-9 on page 3 and paragraph 0050 lines 1-4 on page 4 in Description); the second relay node sequence number being stored in a neighbor table of the at least one node (see paragraph 0068

Art Unit: 2609

lines 4-7 on page 5 in Description) and a control unit operable to determine whether or not the data packet is retransmitted to the node according to a result of the comparison (see paragraph 0068 lines 1-4 on page 5 in Description)

For claim 2, Rhee discloses wherein the control unit transmits the data packet, wherein after adding "1" to the second relay node sequence number, the resulting sequence number is included in the data packet (see paragraph 0061 lines 1-5 on page 4 in Description).

For claim 3, further comprising a memory unit which includes the neighbor table drafted on the basis of information of the management packet transmitted from the at least one node (see paragraph 0052 lines 4-9 on page 4 in Description).

For claim 4, Rhee discloses wherein the data packet includes at least one of Internet protocol addresses of neighboring nodes, relay nodes, link status, and relay node sequence numbers (see paragraph 0081 on page 6 lines 1-4 and paragraph 0082 lines 1-6 on page 6 in Description).

For claim 6, Rhee discloses a system for reliably broadcasting a data packet under an ad-hoc network environment, the system comprising (see paragraph 0007 lines 1-4 on page 1 in Summary); a determining unit

Art Unit: 2609

operable to determine whether or not at least one node that receives the data packet is a relay node which transmits the received data packet to other neighboring nodes (see paragraph 0066 lines 1-8 on page 5 in Description); a comparing unit operable to compare (see paragraph 0067 lines 1-7 on page 5 in Description); a first relay node sequence number with a second relay node sequence number (see paragraph 0009 lines 1-7 on page 1 in Summary); the first relay node sequence number being contained in a management packet which the node that receives the data packet transmits (see paragraph 0049 lines 1-9 on page 3 and paragraph 0050 lines 1-4 on page 4 in Description); the second relay node sequence number being stored in a neighbor table of the at least one node (see paragraph 0068 lines 4-7 on page 5 in Description) and a control unit operable to determine whether or not the data packet is retransmitted to the at least one node according to a result of the comparison (see paragraph 0068 lines 1-4 on page 5 in Description)

For claim 7, Rhee discloses wherein the control unit transmits the data packet, wherein after adding "1" to the second relay node sequence number, the resulting sequence number is included in the data packet (see paragraph 0061 lines 1-5 on page 4 in Description).

For claim 8, further comprising a memory unit which includes the neighbor table drafted on the basis of information of the management packet

Art Unit: 2609

transmitted from the at least one node (see paragraph 0052 lines 4-9 on page 4 in Description).

For claim 9, Rhee discloses wherein the data packet includes at least one of Internet protocol addresses of neighboring nodes, relay nodes, link status, and relay node sequence numbers (see paragraph 0081 on page 6 lines 1-4 and paragraph 0082 lines 1-6 on page 6 in Description).

For claim 11, Rhee discloses a method for reliably broadcasting a data packet under an ad-hoc network environment, the method comprising (see paragraph 0007 lines 1-4 on page 1 in Summary); broadcasting the data packet to neighboring nodes (see paragraph 0055 lines 2-8 on page 4 in Description); comparing a first relay node sequence number with a second relay node sequence number (see paragraph 0067 lines 1-7 on page 5 in Description); the first relay node sequence number being contained in a management packet which each of the neighboring nodes transmits (see paragraph 0049 lines 1-9 on page 3 and paragraph 0050 lines 1-4 on page 4 in Description); the second relay node sequence number being stored in a neighbor table of each of the neighboring nodes (see paragraph 0068 lines 4-7 on page 5 in Description) and determining whether or not the data packet is retransmitted to the neighboring nodes according to a result of the comparison (see paragraph 0068 lines 1-4 on page 5 in Description).

Art Unit: 2609

For claim 12, Rhee discloses wherein the step of broadcasting comprises: adding "1" to the second relay node sequence number which is stored in the neighbor table of each of the neighboring nodes (see paragraph 0061 lines 1-3 on page 4 in Description); adding the resulting relay node sequence number and predetermined information to the data packet (see paragraph 0061 lines 3-5 on page 4 in Description); storing information of the data packet in the neighbor table (see paragraph 0068 lines 4-7 on page 5 in Description) and broadcasting the data packet to the neighboring nodes (see paragraph 0055 lines 2-8 on page 4 in Description).

For claim 13, Rhee discloses wherein the step of comparing comprises: receiving the management packet from the neighboring nodes (see paragraph 0050 lines 5-9 on page 4 in Description); comparing the first relay node sequence number contained in the received management packet with the second relay node sequence number (see paragraph 0067 lines 1-7 on page 5 in Description) and stored in the neighbor table of each of the neighboring nodes (see paragraph 0068 lines 4-7 on page 5 in Description).

For claim 15, Rhee discloses wherein a number of times for retransmitting the data packet is set to a predetermined number of times, and when the

Art Unit: 2609

number of times the data packet has been retransmitted exceeds the set number of times, retransmitting the data packet is stopped (see paragraph 0073 lines 1-9 on page 5 in Description).

For claim 17, Rhee discloses wherein the data packet includes at least one of Internet protocol addresses of neighboring nodes, relay nodes, link status, and relay node sequence numbers (see paragraph 0081 on page 6 lines 1-4 and paragraph 0082 lines 1-6 on page 6 in Description).

For claim 19, Rhee discloses a method for reliably broadcasting a data packet under an ad-hoc network environment, the method comprising (see paragraph 0007 lines 1-4 on page 1 in Summary); checking whether at least one node operable to receive the data packet is a relay node (see paragraph 0066 lines 1-8 on page 5 in Description); as a result of checking, when the node is a relay node, broadcasting the data packet to neighboring nodes (see paragraph 0081 lines 1-4 on page 6 in Description); comparing a first relay node sequence number with a second relay node sequence number (see paragraph 0067 lines 1-7 on page 5 in Description); the first relay node sequence number being contained in a management packet which each of the neighboring nodes transmits (see paragraph 0049 lines 1-9 on page 3 and paragraph 0050 lines 1-4 on page 4 in Description); the second relay node sequence number being stored in a neighbor table of each of the neighboring nodes (see

Art Unit: 2609

paragraph 0068 lines 4-7 on page 5 in Description) and determining whether or not the data packet is retransmitted to the neighboring nodes according to a result of the comparison (see paragraph 0068 lines 1-4 on page 5 in Description).

For claim 20, Rhee discloses the method according to claim 19, wherein the step of broadcasting comprises: adding "1" to the second relay node sequence number which is stored in the neighbor table of each of the neighboring nodes (see paragraph 0061 lines 1-3 on page 4 in Description); adding the resulting relay node sequence number and predetermined information to the data packet (see paragraph 0061 lines 3-5 on page 4 in Description); storing information of the data packet in the neighbor table (see paragraph 0068 lines 4-7 on page 5 in Description) and broadcasting the data packet to the neighboring nodes (see paragraph 0055 lines 2-8 on page 4 in Description).

For claim 21, Rhee discloses wherein the step of comparing comprises: receiving the management packet from the neighboring nodes (see paragraph 0050 lines 5-9 on page 4 in Description); comparing the first relay node sequence number contained in the management packet which each of the neighboring nodes transmits, with the second relay node sequence number (see paragraph 0067 lines 1-7 on page 5 in

Art Unit: 2609

Description) stored in the neighbor table of each of the neighboring nodes. (see paragraph 0068 lines 4-7 on page 5 in Description).

For claim 25, Rhee discloses wherein the data packet includes at least one of Internet protocol addresses of neighboring nodes, relay nodes, link status, and relay node sequence numbers (see paragraph 0081 on page 6 lines 1-4 and paragraph 0082 lines 1-6 on page 6 in Description).

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any

Art Unit: 2609

inventions covered therein were made absent any evidence to the contrary.

Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claims 5,10,18 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rhee (US 2003/0099221 A1) in view Madruga et al.

For claim 5, 10, 18 and 26, Rhee discloses all the claim limitations as recited in paragraph 2 of this office action with the exception of wherein the neighbor table is updated on the basis of the information of the management packet each of a predetermined number of times as recited in claims 5, 10, 18 and 26. Madruga et al. in the same or similar field of endeavor teaches wherein the neighbor table is updated on the basis of the information of the management packet each of a predetermined number of times (see column 9 lines 26-41 in Detailed Description of the Invention).

It would have been obvious to one of ordinary skill in the art at the time of invention was made to use the same method for updating the neighbor table as taught by Madruga et al. in the communication network of Rhee.

The updating of neighbor table based on the information or messages being received form the neighboring nodes as taught by Madruga et al. can be modified/implemented by enhancing processor functionalities of

Art Unit: 2609

each node to maintain the data of the neighbors for an ad hoc network environment like the communication network of Rhee. The nodes or routers normally maintain the routing tables, which is continuously being updated with the messages being received from the neighbors. The nodes will be programmed in the same way to keep updating their neighbor tables to include the information of sequence numbers of the neighboring relay nodes for comparison to make the decision to retransmit the packets or to terminate the link. The motivation for updating of the neighbor able is to provide an efficient and accurate function of comparison of relay node sequence number in an ad hoc network environment.

Allowable Subject Matter

7. Claims 14, 16, 22-24 and 27 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US 6,493,767 B1 (Ishida et al.), US 7,002,944 B2 (Kats et al.), US 7,002,964 B1 (Ohnishi et al.), US 7,058,071 B1 (Myles et al.), US 2004/0008652 A1 (Tanzella et al.), US 2004/0213167 (Garcia-Luna-Aceves et al.) and US 7,042,852 B2 (Harstar).

Art Unit: 2609

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Syed Bokhari whose telephone number is (571) 270-3115. The examiner can normally be reached on Monday though Friday from 7:30 AM to 5:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dang Ton can be reached on (571) 272-3171. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DANG T. TON
SUPERVISORY PATENT EXAMINER